

Need to add your email account to an iOS device such as an iPhone or iPad?

If you have attempted to manually setup your device with the email account I recommend that you delete that account for starters. To delete the account:


- a. tap Settings
- b. tap General
- c. tap Profile
- d. tap the configuration profile that is not working correctly
- e. tap Delete Profile
- f. enter your device Pass Code
- g. tap Delete

Next, open Safari on your iOS device. *If you have another browser such as Chrome installed you cannot use it for this setup, **you must use Safari.***

On your device login to webmail:

<http://vert-sys.com/webmail>

and use the email address and password for the account you are setting up on your device.



ROGERS 9:14 PM

cpanel03.myhostcenter.com


Webmail

Email Address

Password

Log in

العربية čeština dansk Deutsch
Ελληνικά English español
español latinoamericano ...


Copyright© 2015 cPanel, Inc.

Select Configure Email Client

●●○○ ROGERS 9:14 PM

cpanel03.myhostcenter.com

Home | Help | Logout

You are logged in as

horde
Read Mail Using Horde
[Enable AutoLoad]

roundcube
Read Mail Using Roundcube
[Enable AutoLoad]

SquirrelMail
Read Mail Using SquirrelMail
[Enable AutoLoad]

Change Password Forwarding Options Auto Responders **Configure Mail Client** BoxTrapper Email Filtering Email Trace Update Contact Information

Home | Trademarks | Help | Documentation | Log Out

< > [Share] [Bookmarks] [Tabs]

Click the link **IMAP over SSL/TLS** that appears to the right of iOS for iPhone/iPad/iPod and MacOS® Mail.app® for Mountain Lion (10.8+)

ROGERS 9:15 PM cpanel03.myhostcenter.com

Home | Help | Logout

Mail Client Configuration for

When you access an email account through a desktop email application such as "MacOS® Mail.app® for versions prior to Lion (10.4+)", the email application will require specific information about your email account. You can use the auto-configure options below to attempt to automatically configure your email application. If the available options are not compatible with your application, use the **Manual Settings** information.

Automatic Configuration Scripts

The available mail client autoconfiguration scripts are listed below. Select the script for your mail client and operating system.

APPLICATION	PROTOCOLS
iOS for iPhone/iPad/iPod and MacOS® Mail.app® for Mountain Lion (10.8+)	IMAP over SSL/TLS IMAP
MacOS® Mail.app® for versions prior to Lion (10.4+)	IMAP over SSL/TLS IMAP
MacOS® Mail.app® for Lion (10.7+)	IMAP over SSL/TLS IMAP
Windows Live Mail®	IMAP over SSL/TLS POP3 over SSL/TLS IMAP POP3 (Post Office Protocol v3)
Microsoft Outlook 2000® for Windows®	IMAP over SSL/TLS POP3 over SSL/TLS IMAP POP3 (Post Office Protocol v3)
Microsoft Outlook Express® for Windows®	IMAP over SSL/TLS POP3 over SSL/TLS IMAP POP3 (Post Office Protocol v3)

Manual Settings

If you do not see an automatic configuration script for your client in the list above, you can use the settings below to manually configure your mail client:

Secure SSL/TLS Settings (Recommended)	Non-SSL Settings (This is NOT recommended.)
Username: Password: Use your cPanel password. Incoming Server: cpanel03.myhostcenter.com IMAP Port: 993 POP3 Port: 995 Outgoing Server: cpanel03.myhostcenter.com SMTP Port: 465 Authentication is required for IMAP, POP3, and SMTP.	Username: Password: Use your cPanel password. Incoming Server: IMAP Port: 143 POP3 Port: 110 Outgoing Server: mail.rykiss.com SMTP Port: 26 Authentication is required for IMAP, POP3, and SMTP.

Notes:

- IMAP email access coordinates between the server and your mail application. Messages that you have read, deleted, or replied to will show up as such, both on the server and in the mail application.
- POP3 does not coordinate with the server. Messages that the mail

< >

Click Proceed

ROGERS 9:15 PM cpanel03.myhostcenter.com

Mail Client Configuration for

When you access an email account through a desktop email application such as "MacOS® Mail.app® for versions prior to Lion (10.4+)", the email application will require specific information about your email account. You can use the auto-configure options below to attempt to automatically configure your email application. If the available options are not compatible with your application, use the **Manual Settings** information.

Automatic Configuration Scripts

The available mail client autoconfiguration scripts are listed below. Select the script for your mail client and operating system.

APPLICATION	PROTOCOLS
iOS for iPhone/iPad/iPod and MacOS® Mail.app® for Mountain Lion (10.8+)	IMAP over SSL/TLS IMAP
MacOS® Mail.app® for versions prior to Lion (10.4+)	IMAP over SSL/TLS IMAP
MacOS® Mail.app® for Lion (10.7+)	IMAP over SSL/TLS IMAP
Windows Live Mail®	IMAP over SSL/TLS
Microsoft Outlook 2000® for Windows®	IMAP over SSL/TLS
Microsoft Outlook Express® Windows®	IMAP over SSL/TLS

IMAP over SSL/TLS Mail Client Configuration

This will automatically configure "iOS for iPhone/iPad/iPod and MacOS® Mail.app® for Mountain Lion (10.8+)" with the correct settings for "IMAP over SSL/TLS".

- If you are prompted to open, run, or save this file, choose "Run" or "Open".
- If your computer asks if you would like to enter the information into the registry, choose "Yes".
- Use your email account password as the password.

Proceed Cancel

Manual Settings


If you do not see an option for your client in the list above, you can use the manual settings to manually configure your mail client:

Secure SSL/TLS Settings (Recommended)	Non-SSL Settings (This is NOT recommended.)
Username: Password: Use your cPanel password.	Username: Password: Use your cPanel password.
Incoming Server: cpanel03.myhostcenter.com IMAP Port: 993 POP3 Port: 995	Incoming Server: mail.rykias.com IMAP Port: 143 POP3 Port: 110
Outgoing Server: cpanel03.myhostcenter.com SMTP Port: 465	Outgoing Server: mail.rykias.com SMTP Port: 26
Authentication is required for IMAP, POP3, and SMTP.	Authentication is required for IMAP, POP3, and SMTP.


Notes:

- IMAP email access coordinates between the server and your mail application. Messages that you have read, deleted, or replied to will show up as such, both on the server and in the mail application.
- POP3 does not coordinate with the server. Messages that the mail


At the top right click **Install**




Enter your iPhone's passcode



At the bottom click the **Install** button



When prompted enter the password for the email account you are setting up and then click **Next**



At the top right corner click **Done**.

